G. R. S. App. F. IX-4]

Previous References.

194 1

(1 1)

File No. 2-42

Serial Nos. 5—

Later References.

P

PRESERVED

GENERAL AND REVENUE SECRETARIAT

Serial Nos. 1

Part B for 1 to 9, 42

SUBJECT.

Recommendation No. 195-07 of the Madras Reforms Committee regarding [illegible] for the Industrial [illegible]

1003/41 Recommendation No. 195 of the Prison Reforms Committee

General and Revenue Secretariat | File No. | of 194 | [App. F. III—2

Serial No.

JUL 9 1942
291

In para. 70 of Chapter VIII of their Report, the Prison Reforms Committee observe that the rules as to the periodical weighing of prisoners are definite and are being regularly carried out.. The Committee however suggest that each Jail should be provided with a reliable weighing machine of a modern type.

The Inspector General of Prisons states that the Jails at Mysore and Bangalore are provided with standard weighing machines, and that the District Lock-Ups may also be provided with such machines.

Flag S

It does not appear necessary therefore to provide weighing machines for the Jails at Mysore and Bangalore. As regards the District Lock-Ups, since the inmates there are short termers, viz. those sentenced to imprisonment for one month, and since weighment of prisoners is not required under the Lock-Up Manual there is no need to provide Lock-Ups with such machines.

MNN 29/6

LAW SECRETARY I

SECY. LAW DEPT. (S&R) 29 JUNE 1942 GOVT. - MYSORE

DEWAN'S OFFICE
11. JUL. 1942
NO. 494

In view of the proposal to transfer prisoners District Lock-Ups may also be provided with such machines as suggested by the I. G. P.

Mun 2 Jan

Dewan

8-7-42

NOTE—Contn. Sheet.

WD 04155—GPB—55,000—23-10-41

MNN 14/7/42

CWS 13-7-42

Recommendation no. 195 of the Prisons Reforms Committee

File No. of 194

General and Revenue Secretariat

Serial No.

Draft letter to the Dt. of Prisons is submitted for approval.

22/7

Law Secy)

23-7-42

Issue D.O. to Prisons
No. P. 441 dt 28.7-42
Approves of this suggestion to provide one disk book with weighing machines.

B.S.
5/8/42

Appendix F G—1]

SUBJECT .....

.....

.....

Section Press

File No. D—62

Serial No. 5

Diary No. of letter replied to.....

No. P 741.

To

The Dir of Press,

Subject:— Provision of Weighing machines for the D&T Locks upas.

Sir,

I am directed to make reference to the Issues forwarded thereon on Recommendation No 70 of the Press Reforms Committee on the above subject and to state that ~~Govt have approved~~ of your suggestion to provide the D&T Locks upas with weighing

General and Revenue Secretariat

( )

the *19*

Date of issue 28.7.42

Signed by Dir. M.K.V.

List of enclosures .....

Copied by .....

Examined by .....

4

is approved

Machines ~~[illegible]~~ in lieu of the transfer of ~~[illegible]~~ presses to the Dist. Well ups. I am to request ~~that~~ you ~~will~~ to be to pass orders to take action in the matter accordingly, advising at the same time the weighing machines purchased some time ago for use in the Sub-jails, Bhemoja, Thirthahalli, Thirthapuranahalli & Byramangala (Since closed)

Thanking you,

6
22/7

Yours [illegible]
23-7

for Secretary (Home), Law Dept.

Extract from the opinion of I. G. of Prisons on the recommendations of the Prison Reforms Committee

5

Recommendation No. 195 – Each jail should be provided with a reliable weighing machine of a modern type

I. G. P's views thereon — The jails at Bangalore and Mysore are provided with standard weighing machines. The District Lock-ups may also be provided with such machines.

MKV
29/6